

TIN

RIW



Office of the Monroe County Surveyor
Trohn Enright-Randolph

Health Services Building
119 West 7th Street
Bloomington, IN 47404
Phone: (812) 349-2570

Dear User,


The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Morgan County are stored on microfilm Reel 7534 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at SurveyorsOffice@co.monroe.in.us to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.

Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph
Monroe County Surveyor



Township N.° XI North, Range N.° I West 2nd Mer.

Surveyed by Tho. Brown 1819.

Islands Surveyed by A. E. Van Ness, 1848

Description of the Soil on the interior Sectional lines.

Between Sections	Quality &c.	Between Sections	Quality &c.	Between Sections	Quality &c.
33.36	3 rd rate. Broken. Beech. Oak. Hickory. Sugar. &c. removed.	2.3	2 nd & 3 rd rate. Broken	4.5	Part 2 nd rate. level. Part 3 rd rate. Broken
25.36	2 nd & 3 rd rate. Part level. Part broken. Timber same	33.34	Same	31.32	2 nd rate. Broken. Oak. Beech. Sugar. &c. removed.
25.26	Level. 2 nd rate.	27.34	Part 2 nd rate. level. Part 3 rd rate. Broken	27.32	3 rd rate. Broken
21.25	Same	22.27	3 rd rate. Broken	30.31	Same
25.20	1 st & 2 nd rate. level. Beech. Oak. Hickory. Sugar. &c. removed.	21.22	2 nd rate. level. Walnut. Locust. Buckeye. &c. removed.	27.30	1 st & 2 nd rate
13.14	Same	15.22	Same	20.29	1 st rate. level. Walnut. Sugar. Oak. &c.
13.11	2 nd rate. level. North of River 1 st rate	15.16	Same	19.30	1 st & 2 nd rate. level
12.13	1 st & 2 nd rate. level	10.15	Same	19.20	Same
11.12	1 st rate. level	7.10	First & mile 1 st rate. last 2 nd rate	17.20	1 st rate. level
1.17	Same	5.10	First rate. level	18.19	1 st & 2 nd rate. level
1.2	First & mile 2 nd rate. level. last 2 nd rate. Broken	3.4	2 nd rate. Broken	17.18	2 nd rate. level
34.35	3 rd rate. Broken	32.33	3 rd rate. Broken	9.14	1 st rate. level
26.35	Same	28.33	2 nd & 3 rd rate. Broken	7.18	2 nd rate. level
26.27	2 nd & 3 rd rate. Broken	28.29	2 nd rate. level. Oak. Beech. Cherry. Walnut. &c.	8.4	1 st rate. level. Sugar. Oak. Walnut. Pine &c.
23.26	2 nd rate. Broken	21.25	1 st & 2 nd rate. level	5.5	2 nd & 3 rd rate. Broken
22.23	Same	20.21	Same	5.7	2 nd rate. level
14.28	1 st & 2 nd rate. level. Walnut. Hickory. Buckeye &c.	16.21	1 st rate. level. Walnut. Locust. Buckeye. &c. removed.	5.6	2 nd & 3 rd rate. Broken. Sugar. Beech. Hickory. &c.
14.15	1 st rate. level	16.17	Same		
11.14	Same	9.16	Same		
10.11	Same	8.9	2 nd rate. level		
2.11	Same				

T. N. 10. N. R. N. 1772 2^d Mer. Ind.

Beak 18 in diameter. N. 41 E. 27 1/2 deg. dist.
Land broken 2^d 3^d rate, Timber Oak, Buck,
Sugar, Apple, Hick. Poplar & Ash, My Spies.
Logwood Ash, Hick. &c. &c.

The part of this Township lying in Harrison Purchase
was surveyed by

William Harris, D.S.

The part lying North of Harrison's Purchase
was surveyed by

Thomas Brown, D.S.

I certify that the foregoing Transcript of the field
notes of Township N. 10 North of Range N. 1 West
of the 2^d Principal Meridian, in Indiana, has
been compared with the Original notes in this office
and found correct.
Surveyor General's Office,
Cincinnati, Oct. 27. 1841

Sur. General.

Cosm

2344

Township N. 11. North of Range N. 1 West 2^d Meridian Indiana

South Boundary. r. 600

15.

West On a Random line On the South B. of sec. 36.
T. 11. N. R. 1 W.

40,00 Set a temp. post.

40,00 To a Brook 30 links m. Course N. W.

40,00 " " Spring Course N. W.

80,00 Set a temp. post for the cor. of sec. 35 & 36
Land broken & hilly Timber same.

West On a Random line On the South B. of sec. 35.
T. 11. N. R. 1 W.

40,00 Set a temp. post.

80,00 Set a temp. post for the cor. of sec. 34 & 35.

Land broken & hilly Timber Oak, Buck, Poplar,
&c. very bushy.

West On a Random line On the South B. of sec. 34.
T. 11. N. R. 1 W.

40,00 Set a temp. post.

79,50 To a Brook 30 links m. Course N. W.

80,00 Set a temp. post for the cor. of sec. 33 & 34.

Land not much m. setting good for farming Timber
Oak, Buck, Ash &c. 2^d rate land.

Friday May. 21. 1817.

West On a Random line On the South B. of sec. 33.
T. 11. N. R. 1 W.

40,00 Set a temp. post.

80,00 Set a temp. post on the line for the cor. of sec. 32 & 33.

Land very broken & hilly; Good soil Timber same.

West On a Random line On the South B. of sec. 32.
T. 11. N. R. 1 W.

L.A. H. A. R. N. 1st 2nd Mer. Sud.

80,00 Set the temp. post on the line for the ca. of sec. 33 133
from which, Beak 9 in air line. N 62 E. 23 lbs. dist.
under No. 10 " " S 13 W 13 " "

East On the line On the South R. of sec. 33
S 12 N R 1 W

40,00 Set a 1/2 sup. post from which a line line.
Sugar 9 in air line. N 77 W 52 lbs. dist; 80

80,00 Set the temp. post on the line for the ca. of sec. 33 134
from which, Beak 10 in air line. N 56 W 24 lbs. dist;
under No. 10 " " S 34 E 26 " "

East On the line On the South R. of sec. 34
S 12 N R 1 W

40,00 Set the temp. post on the line from which,
Beak 10 in air line. N 41 E 36 lbs. dist; 80
Sugar 8 " " S 29 W 53 " "

80,00 Set a post on the line for the ca. of sec. 34 135 from
which, Beak 8 in air line. N 29 W 25 lbs. dist; 80
Sugar 8 " " S 36 W 10 " "

East On the line On the South R. of sec. 35
S 12 N R 1 W

40,00 Set the temp. post on the line from which,
Beak 18 in air line. S 60 W 15 lbs. dist; 80
No. 15 " " N 8 E 19 " "

80,00 Set the temp. post on the line for the ca. of sec. 35 136
from which, Beak 9 in air line. N 71 E 30 lbs. dist.
under No. 18 " " N 0 W 25 " "

East On the line On the South R. of sec. 36
S 12 N R 1 W

40,00 Set a temp. post on the line from which,

L.A. H. A. R. N. 1st 2nd Mer. Sud. 337

Beak 30 in air line. S 24 W 44 lbs. dist; 80
No. 18 " " N 56 W 27 " "
80,00 Set the ca. of S 11 W 12. N 10 E 11 W.

West Boundary.

Wednesday Jan. 3rd 1879. P. 16.

North On the East Boundary of sec. 36. S 11 N R 2 W

40,00 Set a 1/2 sup. post from which,
Beak 12 in air line. N 55 E 15 lbs. dist; 80
Sugar 30 " " S 24 W 14 " "

80,00 Set a post on the line for the ca. of sec. 35 136 from
which, Beak 12 in air line. N 55 E 25 lbs. dist.
under Sugar 10 " " N 64 W 27 " "
Land actually made post.

North On the East Boundary of sec. 35 S 11 N R 2 W

25,00 To a Brook 15 temp. min, corner S. W.

40,00 Set a 1/2 sup. post from which,
Beak 12 in air line. N 76 E 19 lbs. dist; 80
No. 14 " " N 40 W 22 " "

80,00 Set a post for the ca. of sec. 24 135 from which,
Sugar 12 in air line. N 57 E 16 lbs. dist; 80
No. 5 " " S 8 W 19 " "

Land very broken & stony.

North On the East R. of sec. 24 S 11 N R 2 W

40,00 Set a 1/2 sup. post from which,
Beak 30 in air line. S 50 E 39 lbs. dist; 80
Sugar 24 " " N 61 W 7 " "

80,00 Set a post for the ca. of sec. 13 124 from which,
Beak 12 in air line. N 85 W 2 lbs. dist; 80
No. 14 " " S 8 E 45 " "
Land well and good for farming; some Beak

I. N. H. R. N. 1st 2nd Mer. Sud.

80,00 Set the trip post on the line furth^r of sec. 33 132
from which, Beak 9 in air line. N 62 E. 23 lks. dist.
and so No. 10 " " S 13 W. 13 " "

East On the line On the South B. of sec. 33
I. N. H. R. N.

40,00 Set a 1/2 support from which a line line.
Sugar 9 in air line. N 77 W. 52 lks. dist; 1/2

80,00 Set the trip post on the line furth^r of sec. 33 134
from which, Beak 10 in air line. N 56 W. 24 lks. dist;
and so No. 13 " " S 24 E. 26 " "

East On the line On the South B. of sec. 34
I. N. H. R. N.

40,00 Set the trip post support on the line from which,
Beak 18 in air line. N 41 E. 36 lks. dist; 1/2
Sugar 8 " " " S 29 W. 33 " "

80,00 Set a post on the line furth^r of sec. 34 135 from
which, Beak 8 in air line. N 29 W. 45 lks. dist; 3/4
No. 9 word 8 " " S 36 W. 10 " "

East On the line On the South B. of sec. 35
I. N. H. R. N.

40,00 Set the trip post support on the line from which,
Beak 18 in air line. S 60 W. 15 lks. dist; 1/2
No. 18 " " " N 8 E. 19 " "

80,00 Set the trip post on the line furth^r of sec. 35 136
from which, Beak 9 in air line. N 71 E. 30 lks. dist
and so No. 18 " " S 10 W. 25 " "

East On the line On the South B. of sec. 36
I. N. H. R. N.

40,00 Set a trip post support on the line from which,

I. N. H. R. N. 1st 2nd Mer. Sud.

Beak 30 in air line. S 24 W. 4 lks. dist; 1/2
No. 18 " " " N 56 W. 27 " "
80,00 Set the end of I. N. H. R. N. 1 E. 1 W.

West Boundary.

Wednesday Jan. 3rd 1879. 1. 1. 15.

North On the East Boundary of sec. 36. I. N. H. R. N. 2 W.

40,00 Set a 1/2 support from which,
No. 12 in air line. N 63 E. 13 lks. dist; 1/2
Sugar 30 " " " S 24 W. 14 " "

80,00 Set a post on the line furth^r of sec. 25 136 from
which, No. 12 in air line. N 55 E. 28 lks. dist
and so Sugar 12 " " " N 64 W. 27 " "
Land here made poor.

North On the East Boundary of sec. 25 I. N. H. R. N. 2 W.

25,00 To a Brook 15 trip min, corner I. N.

40,00 Set a 1/2 support from which,
Beak 12 in air line. N 46 E. 19 lks. dist; 1/2
No. 14 " " " N 40 W. 22 " "

80,00 Set a post furth^r of sec. 24 135 from which,
Sugar 12 in air line. N 55 E. 16 lks. dist; 1/2
No. 5 " " " S 8 W. 19 " "

Land very broken & stony

North On the East B. of sec. 24 I. N. H. R. N. 2 W.

40,00 Set a 1/2 support from which,
Beak 30 in air line. S 50 E. 39 lks. dist; 1/2
Sugar 24 " " " N 61 W. 7 " "

80,00 Set a post furth^r of sec. 13 124 from which,
Beak 12 in air line. N 85 W. 2 lks. dist; 1/2
No. 14 " " " S 85 E. 45 " "
Land here made good for farming; limits Beak,

T. N. M. N. N. 172nd Mer. Ind.

Sugar & Poplar, &c.

- North On the East Bdy of sec. 17. T. N. M. N. 172nd Mer. Ind.
- 18.00 To a Rock 10 links mid. corner N.
- 40.00 Set a post from white,
Back 20 in air line. S 1/2 E. 15 lks dist, to,
Loc. 14 " " N 55 W 21 " "
- 67.50 To a Rock 6 links mid. corner W.
- 80.00 Set a post for the corner of sec. 17 & 18 from white,
Back 18 in air line. S 1/2 E. 7 lks dist, to,
Stick 10 " " N 38 W 35 " "

West Boundary

N. 60° 30'

E. 12

- North On the East Bdy of sec. 36. T. N. M. N. 272nd Mer. Ind.
- 18.00 To a Rock 8 links mid. corner N.
- 40.00 Set a post from white,
Stick 124 in air line. North 26 links dist, to,
Back 18 " " N 58 W 30 " "
- 80.00 Set a post for the corner of sec. 25 & 36 from white,
Back 12 in air line. S 47 E. 9 lks dist, to,
Loc. 30 " " N 34 E. 19 " "
- Ground very broken & stony, rich soil. Timber Rock,
Sugar, Oak, Hick

- North On the East Bdy of sec. 25. T. N. M. N. 272nd Mer. Ind.
- 40.00 Set a post from white,
Back 12 in air line. S 20 E. 29 links dist, to,
Elev. 18 " " S 87 W 24 " "
- 41.00 Set a post on the Left Bank of White River for the corner of sec. 25 & 36 from white,
Back 30 in air line. N 87 E. 3 links dist, to,
Loc. 5 " " S 55 W 21 " "
- 78.00 Set a post for the corner of sec. 25 & 36 on the Right

T. N. M. N. N. 172nd Mer. Ind.

- Bank of White River from white,
Maple 9 in air line. S 54 W 9 links dist, to,
Box Elm, Co. " " S 69 E. 18 " "
- 80.00 Set a post for the corner of sec. 25 & 36 from white,
Back 10 in air line. S 57 W. 15 lks dist, to,
Elev. 12 " " N 49 E. 24 " "
- Ground very bottom. 1st rate soil white, very fine.

- North On the East Boundary of sec. 24. T. N. M. N. 272nd Mer. Ind.
- 11.33 To a Maple which stands in the line on the Bank of White River.
- 32.08 A Maple 12 in air line stands in the line on the Bank of the River.
- 40.00 Set a post from white,
Back 10 in air line. S 53 E. 12 lks dist, to,
Loc. 10 " " S 87 W 20 " "
- 67.50 To a Bayou 50 links mid. corner W.
- 80.00 Set a post for the corner of sec. 13 & 24 from white,
Stick 9 in air line. S 38 E. 7 links dist, to,
Loc. 12 " " N 23 W 31 " "
- Land the same.

- North On the East Bdy of sec. 13. T. N. M. N. 272nd Mer. Ind.
- 40.00 Set a post from white,
Back 15 in air line. N 23 W. 19 links dist, to,
Loc. 8 " " S 56 E. 16 " "
- 80.00 Set a post for the corner of sec. 12 & 13 from white,
Back 18 in air line. S 19 E. 13 links dist, to,
Back 24 " " N 23 W. 10 " "
- Land all Bottom, 1st rate soil. 1st rate.

- North On the East Boundary of sec. 12. T. N. M. N. 272nd Mer. Ind.

T. N. 11 N. R. N. 1 W 2nd Mer. Ind.

40,00 Set a 7/8 sup post from white,
Beck. 24 in dist. from. N 75 W. 27 1/2 the dist. to,
wash. 51 " " S 33 E. 8 " "
59,00 19,00 To a Rock 20 links in air, corner S. W.
62,00 22,00 " " " " " " S. E.
80,00 Set a post further on of sec. 1 & 12 from white,
Beck. 12 in dist. from. N 75 W 30 the dist. to
Poplar, 30 " " " N 37 E. 23 " "
Lands 2nd rate; post rather mt; Timber Buck,
Hick Elm, Ash & Maple, &c.

North. On the East Boundary of sec. 1. T. 11 N. R. 1 W.
40,00 Set a 7/8 sup post from white,
Beck. 9 in dist. from. S 69 W 32 links dist. to,
Lo. 9 " " " S 48 E. 33 " "
80,00 Set a trip post further on of S. 11 & 12. N. R. 1 W.
Lands South of similar. North philly & bottom.
Timber Oak, Hick, Buck, &c. Bushy.
Surveyed by
William Harris.
Deputy Suror.

Subdivisions. Nov. 1819.
North Return Sec. 35 & 36. T. 11 N. R. 1 W. N. 61 10 E.
24,15 To a Hick 18 in dist. stands on the line.
40,00 Set a 7/8 sup post from white,
Beck. 8 in dist. from. N 44 E. 45 the dist. to,
Lo. 5 " " " S 20 W 20 " "
61,25 To a Buck 24 in dist. with line.
80,00 Set a post further on of sec. 25, 26 & 35 & 36 from white,
Beck. 18 in dist. from. N 7 W. 14 links dist. to,
Lo. 15 " " " S 75 W 10 " "
Lands Rock in 3rd rate; Timber Buck, White Hick,

T. N. 11 N. R. N. 1 W 2nd Mer. Ind.

Sec. 17 of Chas. & Jas. Logwood, Amos, Brim &c.

East On a line between Sec. 25 & 36. T. 11 N. R. 1 W.
14,00 To a Rock 25 links in air, corner N. N. W.
40,00 Set a trip post from white.
72,00 To a spring branch, corner S. W.
78,90 Intersect the East Boundary of 2nd pr. Mer. 20 the South of
the post on of sec. 25 & 36.
Lands part but and part to line 2nd & 3rd rate.
Timber Oak, Buck, Birch, Sp. Oak, Hick &c.
N. W. Logwood, Chas. & Jas. Ash, &c.

West On the line between Sec. 25 & 36. T. 11 N. R. 1 W.
18,16 To a Buck. 6 in dist. in the line.
39,48 Set the trip post from white at the ar. dist. in the line from
white, Beck. 6 in dist. from. N 49 E. 10 links dist. to,
Lands 18 " " " S 23 W. 12 " "
57,71 To a Buck. 10 in dist. in the line.
78,96 To the post on of sec. 25, 26, 35 & 36.

North Return Sec. 25 & 26. T. 11 N. R. 1 W.
14,00 To a Rock. 20 links in air, corner N. W.
21,20 To a Buck. 18 in dist. in the line.
40,00 Set a 7/8 sup post from white,
Beck. 10 in dist. from. N 31 W 30 the dist. to,
Ash. 9 " " " S 37 W. 14 " "
61,00 To a Norrbeam. 4 in dist. in the line.
80,00 Set a post for the corner of sec. 23, 24 & 25 & 26 from white,
Beck. 16 in dist. from. N 34 E. 24 links dist. to,
Lo. 19 " " " S 39 E. 32 " "
Lands but and 2nd rate. Timber Buck, Ash, Oak,
Elm, Hick, &c. N. W. Spec. &c.

I. N. N. R. N. 17th 2nd Mar. Ind.

Timber Walnut, Hackberry Locust, Sugar, &c. 119
Spice, & Pawpaw.

- East Oak Random line between Sec 12 & 13 T. 11. N. R. 17. W.
- 22.14 To the Right Bank of White River.
- 26.63 To the West Side of an Island;
- 40.00 Set a trap for a post in Island.
- 42.84 To the East Side of Island.
- 54.14 To the Left Bank of White River.
- 78.56 Set out the East Boundary 54 links North of the post ca of sec 12 & 13. Land P^t rate; Timber Walnut, Ash, Hackberry, V. &c. Buckeye, Sycamore, Cottonwood, &c. 119 Spice & Pawpaw. Willow.
-
- West Oak Line line between Sec 12 & 13 T. 11. N. R. 17. W.
- 24.12 Set a post on the Left Bank of White River for the ca of Grad. Sec 12 & 13 from which, Red Bud 3 in diam bears 147 N. 18 W. dist; &c, Buckeye 3 " " 154 E. 15 "
- 35.62 Set a post on the East side of the Island for the ca of Grad Sec 12 & 13 from which, Elm 10 in diam bears 156 N. 9 W. dist; &c, 11. 12 " " 159 N. 41 "
- 39.28 Set the trap for a post at the ar dist in the line from which, Hackberry 8 in diam bears 160 E. 14 W. dist;
- 51.71 Set a post for the ca of Grad Sec 12 & 13 from which, Cottonwood 3 in diam bears 166 E. 13 W. dist, and a 11. 4 " " 164 E. 15 "
- 56.69 Set a post on the Right Bank of White River for the ca of Grad Sec 12 & 13 from which, Walnut 3 in diam bears 170 E. 10 W. dist, &c, Buckeye 13 " " 172 N. 12 "

I. N. N. R. N. 17th 2nd Mar. Ind.

61.26 To a Sycamore 60 in diam in the line.

78.56 To the post ca of sec 11, 12, 13 & 14.

- North Return Sec 11 & 12 T. 11. N. R. 17. W.
- 25.12 To a Buckeye 15 in diam in the line.
- 40.00 Set a post for a post from which, Buckeye 4 in diam bears 148 E. 16 W. dist; &c, Sugar 18 " " 154 N. 28 "
- 59.62 To a Buckeye 14 in diam in the line.
- 80.00 Set a post for the ca of sec 1, 2, 11 & 12 from which, Sugar 8 in diam bears 167 N. 15 W. dist; &c, Buck 4 " " 158 E. 16 "
- Land and cuds P^t rate; Timber Walnut, Hackberry, Buckeye, Sugar, Cherry, Buck, &c. 119 Spice, Pawpaw.

- East Oak Random line between Sec 11 & 12 T. 11. N. R. 17. W.
- 64.35 To the Right Bank of White River.
- 70.12 " " Left Bank " " "
- 78.40 Set out the East B^y 46 links North of the post ca of Sec 11 & 12. Land and cuds P^t rate; Timber Walnut, Sugar, Buck, Hackberry, &c. 119 Spice & Pawpaw.
-
- West Oak Line line between Sec 11 & 12 T. 11. N. R. 17. W.
- 2.50 Enter a prairie.
- 8.38 Set a post on the Left Bank of White River for the ca of Grad Sec 11 & 12 in prairie. Raised a mound. Note as aig. Ins.
- 14.05 Set a post on the Right Bank of White River ca of Grad. Sec 11 & 12 from which, Willow 4 in diam bears 153 E. 15 W. dist, &c, Cottonwood 4 " " 152 N. 48 "
- 39.20 Set the trap for a post at the ar dist in the line from which, Buck 24 in diam bears 163 E. 5 W. dist; &c,

T. N. H. R. No. 172nd Mrs. Lada.

- Reck 20 in air: beam. 33 N 31 the east;
 57.70 To a Reck, 36 in air in the line.
 78.40 To the cor of ew. 1. 2. 11 17.
-
- North Return Sec 172 T. N. H. R. 17.
 22.11 To a Log. 6 in air in the line.
 40.00 Set a post from white.
 At a beam. 4 in air: beam. 38 E. 10 the east; to,
 La. 6 " " " " 33 N. 18 " "
 48.90 To a Reck 10 in air: beam. 38 E. 10 the east;
 61.00 To a N Oak, 18 in air in the line.
 76.28 Set a post from the N. 138 E. 10 the east of the post cor.
 of sec. 35 & 36. T. 12 N. 17 and set a post for the cor.
 " " 170 from white.
 Reck 16 in air: beam. 31 N. 20 the east; to,
 40.7 " " " " 32 E. 28 " "
 Second 1st post with 2nd rate; 2nd post with Broken
 3rd rate; Timber Poplar, Ash, Sugar, N Oak, Hickory
 Reck, &c. W. J. Spies & Emmert, &c. Nov. 2. 1819.
-
- North Return Sec 34 135. T. N. H. R. 17.
 25.27 To a N Oak, 18 in air in the line.
 40.00 Set a post from white.
 Reck 13 in air: beam. 44 N. 16 the east; to,
 40.20 " " " " 43 E. 25 " "
 69.40 To a N Oak, 17 in air in the line.
 80.00 Set a post for the cor of ew. 26. 27. 34 135 from white.
 Log mark 3 in air: beam. 45 N. 15 the east; to,
 Hickory 12 " " " " 53 E. 8 " "
 Second Broken 1st rate; Timber N Oak, Hickory, Reck,
 Poplar &c. W. J. Spies & Emmert, &c. Oak, Hickory
 Brins &c.

T. N. H. R. No. 172nd Mrs. Lada.

- East On a Random line between Sec 26 & 35 T. N. H. R. 17.
 40.00 Set a timber post.
 80.20 Set a post from the N. 135 line 39 miles North of the post cor of
 Sec 25. 26. 35 136. Second Broken 1st rate; Timber N Oak,
 Hickory, Reck, &c. W. J. Spies & Emmert, &c. Hickory
 Oak & Brins &c.
-
- North On a line between Sec 26 & 35 T. N. H. R. 17.
 19.05 To a Reck, 22 in air in the line.
 40.10 Set the timber post at the cor of ew. in the line from
 white; Reck 6 in air: beam. 48 N. 18 the east; to,
 up to an Ammonite. 5 " " " " 52 E. 23 " "
 61.10 To a N Oak, 19 in air in the line.
 80.20 To the post cor of ew. 26. 27. 34 135.
-
- North Return Sec 26 137. T. N. H. R. 17.
 20.60 To a Reck, 29 in air in the line.
 40.00 Set a post from white.
 Log mark 8 in air: beam. 45 N. 27 the east; to,
 Reck, 10 " " " " 34 E. 10 " "
 64.00 To a Poplar, 24 in air in the line.
 80.00 Set a post for the cor of ew. 22. 23. 26 137 from white;
 Reck 8 in air: beam. 30 E. 15 the east; to,
 10. 18 " " " " 52 N. 54 " "
 Second Broken 2nd & 3rd rate; Timber N Oak, Hickory
 Poplar, Ash, &c. W. J. Spies & Emmert, &c. Brins &c.
-
- East On a Random line between Sec 23 & 36 T. N. H. R. 17.
 40.00 Set a timber post.
 80.30 Set a post from the N. 135 line 27 miles North of the post cor of
 Sec 23. 24. 25 136. Second post with 2nd rate; post broken
 3rd rate; Timber N Oak, Reck, Hickory, Ash, Sugar &c.
 W. J. Spies, Hickory, Maple, Brins &c.

L.A. HARRIS 1772nd M. Ind.

Thyamus 16 in dist. line. N 72 E 20th east. 20.
Maple, 4 " " S 32 E 29 "
67.00 Set a post on the right bank of White River for the end of
grad. Sur. 14123 from which,
Chm. 14 in dist. line. N 29 E 4 1/2 the dist. to
Ash. 5 " " S 6 E 12 " "
80.311 Set the post on of sur. 1415, 27123. Nov. 3. 1819.

North Return Sur. 14115 I.H. HARRIS.
N 75 To a Hick 16 in dist. in the line.
40.00 Set a post on the line from which,
Hackberry 16 in dist. line. N 22 E 11 the dist. to
Buckeye 3 " " S 84 W 14 " "
61.68 To a Hackberry 28 in dist. in the line
80.00 Set a post for the end of sur. 10. 11. 14 & 15 from which,
Hackberry 10 in dist. line. N 61 W 24 the dist. to
Blue Ash 6 " " S 45 E 18 " "
Sand bar and 1st rate. Timber Walnut, Hackberry,
Blue Ash, Buckeye, &c. W. J. Spruce, Paupaw.

East Oak Run dam line between Sur. 11 & 111 I.H. HARRIS.
40.00 Set a temporary post.
80.50 Intersect the N 73 line 67th North of the post on of
11. 12. 13 & 14 Sand bar and 1st rate. Timber Walnut
Sugar Hackberry, Buckeye, &c. W. J. Spruce, Paupaw.

West Return Sur. 11 & 111 I.H. HARRIS line
24.20 To a Hick 16 in dist. in the line.
40.25 Set the temporary post on the line from which,
Hackberry 10 in dist. line. N 44 W 20 the dist.
also a 110. 6 " " S 60 E 12 " "
80.85 Set a Buckeye 8 in dist. in the line.

I.H. HARRIS 1772nd M. Ind. 351

80.50 To the end of sur. 10. 11. 14 & 15.

North Return Sur. 10 & 111 I.H. HARRIS.
26.38 To a Beech 20 in dist. in the line
40.00 Set a post on the line from which,
Chm. 14 in dist. line. N 4 E 4 the dist. to
Buckeye 6 " " S 21 W 14 " "
61.46 To a Sugar 20 in dist. in the line
62.46 To a Cornfield
67.50 Left do.
80.00 Set a post for the end of sur. 2, 3, 10 & 11 from which,
Beech 20 in dist. line. N 30 W 2 the dist. to
Hackberry 6 " " S 39 E 20 " "
Sand bar and 1st rate. Timber Walnut, Buckeye,
Blue Ash, Cherry, Hackberry, &c. W. J. Spruce, Paupaw.

East Oak Run dam line between Sur. 2 & 11 I.H. HARRIS.
8.50 To a spring Branch corner.
40.00 Set a temporary post.
81.00 Intersect the N 73 line 70th North of the post on of
Sur. 1, 2, 11 & 112. Sand bar & 1st rate. Timber Wal-
nut, Hackberry, Cherry, W Oak, Elm, Beech, &c.
W. J. Spruce, &c.

West Oak Run line between Sur. 2 & 11 I.H. HARRIS.
18.86 To a Walnut 16 in dist. line.
40.50 Set the temporary post on the line from which,
Beech 28 in dist. line. S 66 E 25 the dist.
and a, Hick 3 " " N 70 W 20 " "
61.46 To a Beech 24 in dist. in the line
81.00 To the post on of sur. 2, 3, 10 & 11.

North Return Sur. 2 & 3 I.H. HARRIS.

I. N. O. N. R. N. O. 1772nd Mm. Ind.

- 23.15 To an Ash. 20 in dia. in the line
40.00 Set a 1/4 sap post from which,
Logwood 4 in dia. here N 32 E. 14 the dist. 46,
Bark. 17 " " " N 45 W. 46 " "
52.42 To a B Gum. 15 in dia. in the line.
75.00 Intersect the St. Bernard. 56 links East of the post cut.
See 34 & 35. N 20 N 17 and set a post in the cut
" 2 1/2 from which,
B Gum. 10 in dia. here. S 25 W. 20 the dist. 46,
Bark. 5 " " " S 4 E. 28 " "
Lumber Bottom 2nd & 3rd rate: Timber Poplar, Ash,
Sugar, Bark, White, &c. 117 Spec. Lumber,
Bris. &c. Nov 4 1817.

- Anth Return Dec 33 1834 J H N R 177.
 10.00 To a Brook 15 lbs m. cones J. W.
 17.44 " " Do 8 " " " J. W.
 28.66 To a Oak 18 in dia in the gro.
 40.00 Set a 71 sapst from which,
 Bunk 11 in dia. bears. Sept 17 19 lbs cut: 80,
 Logwood " " " 168 E. 16 " "
 58.54 To a Hick 18 in dia in the gro.
 80.00 Set a post for the c. of g. 27 28.33 1834 from which
 Logwood 3 in dia bears. 123 E. 16 lbs cut: 1
 Do. 4 " " " 161 W. 5 " "
 Sande Broken 2nd 13th rate; Timber Oak, Hick,
 B Oak & Poplar, Ash, Sugar, &c. Wg Spw, Hazel,
 Summrs, Bunk, Brins &c

- | | |
|------------------------|--|
| East
40,00
19.90 | Open Run down line between Sec. 27 1834 I. H. N. R. N.
Set a p. up post temp?
Intersect the N. W. line 64 miles North of the post ca
of Sec 26. 27. 34 1835. Under Broken R. date, Lands. |
|------------------------|--|

T. N. M. N. R. N. 1 West 2nd (Mm.) 353

Sumter W Oak Bush, Nicks, W Oak, &c. Wg. Day
Sumner, Nicks Briss Jr.

- 24.13 On the line between Sec 27 & 34 T11. N. R. 1 W.
 24.13 To an S. Oak 22 in dia. in the line.
 39.95 Set the trip to support at the cross ditch on the line
 from which a 10 in dia. S. Oak grows. 148 W. of the ditch
 and a Hogwood 4 " " " N 28 E. 27 "
 58.94 To a Hick 16 in dia. in the line
 79.90 To the first row of oaks 27, 28, 33 & 34

- Nash
15.04 To a Bunt 20 in deer in the wood.
19.83 To Spring Branch Conner W.
40.00 Set a 44 super post from white
Dogwood 4 in deer house N 36 E 18 W due; to
Bunt. 10 " " " S 76 W 16 " "
61.34 To a Bunt 12 in deer in the wood
74.00 Cuts a Maple Swamp.
80.00 Set a post for the corner. N 11 W 12 E from white
Maple. 13 in deer house. N 11 W 12 E limits due; to,
La. 18 " " " S 19 E 20 " "
Saw part limb 2^d rate; Part broken 3^d rate.
Took Oak, Bunt, Ash, Maple, &c. 119 Spies,
Hazel, Hickory, Ironwood, &c.

- | | |
|-------|--|
| East | Quakrandum line between Sec 22 & 27 M. N. R. M. |
| 5.50. | Left camp. |
| 35.00 | Swamp Brook 6. miles in, corner N. N. E. |
| 40.00 | Set a trap. 7 miles past. |
| 80.00 | Intersect the N. 15 line. 65 miles north of the first cor
of sec 22, 23, 26 & 27. Found part land & 2 nd rate
part broken 1 st rate Timber Maple, Hick, Beech, |

I. N. M. R. N. 172nd Mm. Ind.Black Hogwood, V. Wg Spine, Ammon, 72mish
Nagle, &c.

West On the line between Sur 22 & 27 I. N. M. R. 172nd
 15.00 To a Buck, 16 in dist. in the line.
 40.00 Set a post at the ar dist. in the line from
 which, Poplar 36 in dist. from. 165 W. 14 lbs dist. to
 and from Ammon 3, " " 148 E. 15 " "
 62.30 To a Poplar, 18 in dist. in the line.
 80.00 Set the post at the ar dist. 21, 22, 27 & 28

North Between Sur 21 & 22, I. N. M. R. 172nd
 1.50 Left the camp
 22.08 To a Walnut 36 in dist. in the line.
 22.08 " " Pond 250 mts. wide, corner N.E.
 40.00 Set a post from which,
 Sugar, 20 in dist. from. 153 E. 17 lbs dist. to
 Norphum, 60 " " 163 W. 21 " "
 54.22 To a Hackberry, 16 in dist. in the line.
 57.35 Set a post in the Left Bank of W. R. for the cor of
 Grad. Sur 21 & 22 from which,
 Elm, 10 in dist. from. 150 E. 4 lbs dist. to
 10. 7 " " 152 W. 4 " "
 67.55 Set a post in the Right Bank of W. R. for the cor of
 Grad. Sur 21 & 22 from which,
 Maple 14 in dist. from. 155 W. 4 lbs dist. to
 10. 12 " " 139 E. 10 " "
 80.00 Set a post for the cor of Grad. Sur 15, 16, 21 & 22 from
 which, Red Bud 6 in dist. from. 153 E. 20 lbs dist.
 and from Buckeye 14 " " 165 W. 24 " "
 Sand hill and post rate; Limbu Walnut, Locust,
 Ash, Buckeye &c. Wg Spine, Pawpaw &c.

I. N. M. R. N. 172nd Mm. Ind.

East On a narrow line between Sur 15 & 22 I. N. M. R. 172nd
 40.00 Set a post for a post
 79.86 Set out the N.E. line 86 mts. North of the first cor of
 Sur 14, 15, 22 & 23. Sand hill & post rate; Limbu Walnut
 Hackberry, Locust, Hickory, Ash, &c. Wg Spine, Pawpaw

West On the line between Sur 15 & 22 I. N. M. R. 172nd
 24.74 To a S. B. Hickory 22 in dist. in the line.
 39.93 Set the post for a post at the ar dist. in the line from
 which, W. Thorn 40 in dist. from. 156 E. 12 lbs dist. to
 & Walnut. 28 " " 137 E. 6 " "
 61.02 To a Walnut, 20 in dist. in the line.
 79.86 To the cor of Sur 15, 16, 21 & 22 November 5, 1819

North Between Sur 15 & 16 I. N. M. R. 172nd
 40.00 Set a post from which,
 Sugar, 16 in dist. from. 120 W. 10 lbs dist. to
 Bur Oak, 3 " " 118 E. 16 " "
 65.46 To a shell Bark Hickory 20 in dist. in the line.
 80.00 Set a post for the cor of Sur 9, 10, 15 & 16 from which,
 Buck 22 in dist. from. 177 E. 30 lbs dist. to
 10. 18 " " 176 W. 52 " "
 Sand hill and post rate; Limbu Walnut, Hackberry,
 Sugar, Buck, &c. Wg Spine, Pawpaw Hickory &c.

East On a narrow line between Sur 10 & 15 I. N. M. R. 172nd
 40.00 Set a post for a post
 79.43 Set out the N.E. line 56 mts. North of the first cor of
 Sur 10, 11, 14 & 15. Sand hill & post rate; Limbu Walnut
 Hickory, Hackberry, Sugar, Buck, &c. Wg Spine, Pawpaw

West On the line between Sur 10 & 15 I. N. M. R. 172nd
 17.81 To a Buckeye 16 in dist. in the line

I. N. N. R. N. 1772nd Mer. Ind.

- 39.41 Set the tempo¹ to support at the ar. arch on the line line
from which Oak 10 in diam. here. 154 E. 7 lbs. dist.
under a Maple 8 " " " 177.18 " "
54.23 To a Butte met. 1/2 in diam. in the line.
79.43 To the post on of ear 9.10.15 & 16.

- North Return Jul 9 & 10 I. N. N. R. 177.
4.00 Cross a mound. Base 14 lbs. Height 14 lbs.
22.00 To a Hackberry 18 in diam. with the line.
40.00 Set a tempo¹ to support from which
Buck 26 in diam. here. 153 N. 28 lbs. dist. & 4
Locust 18 " " " 172 E. 21 " "
53.28 To a Buck 18 in diam. in the line.
80.00 Set a post for the ear of ear 3.4.9 & 10 from which
Buck 20 in diam. here. 131 E. 50 lbs. dist. & 4
Do 24 " " " 178 " "
Sand 1st & 2nd male, 1st rate. 2nd & 3rd male, 1st
2nd rate; Timber Walnut, Hackberry, Buck, Logon,
Locust, &c. 179 Spec.

- East Quakemam line between Jul 3 & 10 I. N. N. R. 177.
40.00 Set a tempo¹ to support.
79.48 Enter at the East Borne 17 lbs. North of the post on
of ear 2.3.10 & 11. Sound and 1st & 2nd rate,
Timber Walnut, Poplar, Ash, 7 Buck, & 10, &c. 179 Spec.

- West Quakemam line between Jul 3 & 10 I. N. N. R. 177.
15.92 To a Buck 16 in diam. with the line.
39.74 Set the tempo¹ to support at the ar. arch on the line line
from which Buck 8 in diam. here. 135 E. 20 lbs. dist.
under a Horsetail, 5 " " " 177.14 " "
57.74 To a Buck 28 in diam. in the line.
79.48 To the ear of ear 3.4.9 & 10.

I. N. N. R. N. 1772nd Mer. Ind.

- North Return Jul 3 & 4 I. N. N. R. 177.
17.44 To a Buck 16 in diam. in the line.
40.00 Set a tempo¹ to support from which
Hick 17 in diam. here. 154 E. 16 lbs. dist. & 4
Aycuman 10 " " " 123 N. 12 " "
56.57 To a Buck 14 in diam. heads in the line.
73.70 Enter at the N Borne 12 lbs. West of the post on of
ear 33 & 34. 112 N. 17. and set a post for the ear of
" 3 & 4 from which
Buck 18 in diam. here. 162 E. 30 lbs. dist. & 4
Do 28 " " " 161 N. 20 " "
Sound 1st & 2nd male, 1st rate; balance, Buck, Oak, Hick, Ash, &c.
2nd rate; Timber Walnut, Buck, Oak, Hick, Ash, &c.
179 Spec. &c. Nov. 6. 1819.

- North Return Jul 32 & 33 I. N. N. R. 177.
21.28 To a Sassafras 12 in diam. in the line.
40.00 Set a tempo¹ to support from which
Oak 16 in diam. here. 163 E. 16 lbs. dist. & 4
2nd Hick 3 " " " 188 E. 6 " "
66.32 To a N Oak 36 in diam. with the line.
80.00 Set a post for the ear of ear 08.29.32 & 33 from which
Buck 22 in diam. here. 177 N. 19 lbs. dist. & 4
Oak 16 " " " 177 E. 14 " "
Sound & Buck 173 rate, Timber 17 & 18 Oak, Hick,
Op. Oak, &c. 179 Spec. Sassafras, Buck, &c.

- East Quakemam line between Jul 28 & 33 I. N. N. R. 177.
15.80 To a Buck 12 lbs. near corner N. N. R.
18.00 " " 12 " " " " I. N.
20.25 " " 12 " " " " I. N.
40.00 Set a tempo¹ to support.
73.56 Enter at the N Borne 16 lbs. South of the post on of

J. N. H. R. N. 172nd Mo. Ind.

Jan. 27, 28, 33, 1834. Land part bird and part broken
2nd, 13. rate. Timber N Oak, Hick, Buck, 219 Spruce
Summit, Logwood, Maple, Birch &c.

- West On the line between Jan 28 1833 J. N. H. R. 172.
20.53 To a Buck 14 in deer in the line.
39.28 Set the traps for a post at the ar dist. on the line from
Whitby Buck 16 in deer line. 170 N. 14 lbs dist. 10,
under 10. 21. 1. 1. 1833 30. 1. 1.
61.38 To a B. Nicks 14 in deer in the line.
78.56 To the post on of Jan 28, 29, 32 1833

- North Return Jan 28 1833 J. N. H. R. 172.
24.90 To a Hackberry 16 in deer in the line.
33.40 To a Buck 16 in deer in the line. Come N. 172.
40.00 Set a post for a post from which
Sp Oak, 48 in deer line. 129 E. 10 lbs dist. 10,
Sugar. 18. 1. 1. 1. 1833 11. 14. 1. 1.
64.92 To a Cherry 12 in deer in the line.
80.00 Set a post for the end of Jan 20, 21, 28 1833 from which
Buck 36 in deer line. 128 N. 16 lbs dist. 10,
Wherry 2. 1. 1. 1. 1833 E. 22. 1. 1.
Land part and 2nd rate; Timber N Oak, Buck,
Cherry, Walnut, &c. 118 Spruce &c.

- East On the line between Jan 21 1833 J. N. H. R. 172.
40.00 Set a trap for a post.
75.70 Enter a map, Swamp
78.27 Enter at the East by N. N. S. line 20 lbs North of the
Post on of Jan 21, 22, 27, 32.
Land part 1st & 2nd rate; Timber Walnut, Sugar,
Hackberry, Elm, ash, &c. 119 Spruce, Pawpaw, Buck &c.

J. N. H. R. N. 172nd Mo. Ind.

- West On the line between Jan 21 1833 J. N. H. R. 172.
23.12 To an Elm 12 in deer in the line.
39.13 Set the traps for a post at the ar dist. on the line from
Whitby Buck 14 in deer line. 133 N. 11 lbs dist. 10,
✓ Buckeye 6. 1. 1. 1. 1833 23. 1. 1.
58.12 To a Buckeye 16. 1. 1. 1. 1833 11. 1. 1.
78.27 To the post on of Jan 20, 21, 28 1833

- North Return Jan 20 1833 J. N. H. R. 172.
24.12 To a Nicks 10 in deer in the line.
31.46 Set a post on the Left Bank of N. R. for the end
of Jan 20 1833 from which
Hackberry 6 in deer line. 120 N. 6 lbs dist. 10,
Nicks 12. 1. 1. 1. 1833 E. 11. 1. 1.
36.00 Eat the part of an Island.
40.00 Set a post for a post from which
Cottonwood 4 in deer line. 151 N. 12 lbs dist. 10,
Do. 3. 1. 1. 1. 1833 E. 14. 1. 1.
64.70 Set a post on the Left Bank of N. R. for the end of
Jan 20 1833 from which
Maple 8 in deer line. 110 N. 8 lbs dist. 10,
Do. 14. 1. 1. 1. 1833 E. 20. 1. 1.
69.75 Set a post on the Right Bank of N. R. for the end of
Jan 20 1833 from which
Red Bud. 10 in deer line. 179 E. 10 lbs dist. 10,
Ash. 10. 1. 1. 1. 1833 N. 14. 1. 1.
73.00 To a Buck 16 in deer line. Come N. 172.
80.00 Set a post for the end of Jan 17, 20 1833 from which
Mulberry 16 in deer line. 126 N. 34 lbs dist. 10,
Do. 18. 1. 1. 1. 1833 E. 37. 1. 1.
Land part Part 1st & 2nd rate; Timber Walnut,
Hackberry, Buckeye, Sugar, Elm, &c. Pawpaw,
119 Spruce, Pawpaw.

J. N. M. N. R. N. 177th 2nd Mm. Ind.

East On a Random line between Sec 16 & 21 T. 11. N. R. 1 W.
 40.00 Set a temporary support
 46.55 To the Right Bank of N. River.
 72.59 " " " " " " by offset.
 78.60 Enter at the N. W. line 14 cuts South of the first cut of
 Sec 15. 16. 21 & 22 Sand wood and 1st rate; Limbu
 Buckeye, Locust, Hackberry, Sycamore, &c.
 N. Y. Spruce, P. Oak, Nov. 8. 1879.

West On the same line between Sec 16 & 21 T. 11. N. R. 1 W.
 6.06 Set a post on the Right Bank of N. River for the
 cut of fact Sec 16 & 21 from which,
 1st line Oak, 10 in diam here. 183 N. 6 W. the cut; 10
 Elm. 5 " " " 152 N. 10 " "
 32.25 Set a post on the Right Bank of N. River for the
 cut of fact Sec 16 & 21 from which,
 Hornbeam 4 in diam here. 174 N. 8 W. the cut; 10
 N. Y. Spruce. 3 " " " 162 N. 12 " "
 39.30 Set the temporary support at the ar. dist. on the line from which
 N. Y. Spruce 8 in diam here. 180 E. 14 the cut; 10
 Buckeye. 10 " " " 137 N. 5 " "
 66.27 To a Plum, Oak, 10 in diam. Hands in the line.
 78.60 To the cut of sec 16. 17. 20 & 21.

North Return Sec 16 & 21 T. 11. N. R. 1 W.
 7.50 To a Brook 15 cuts wide, corner N. W.
 32.16 To a Brook 18 in diam. in the line.
 40.00 Set a support from which,
 Hornbeam 4 in diam here. 127 N. 4 the cut; 10
 Sugar. 14 " " " 183 E. 25 " "
 56.50 To a Brook 20 in diam. in the line.
 80.00 Set a post for the cut of sec 8. 9. 16 & 17 from which,
 Sugar 16 in diam here. 196 E. 7 the cut; 10

J. N. M. N. R. N. 177th 2nd Mm. Ind.

Butter milk 5 in diameter. 127 N. 22 the cut; 10
 Sand wood and 1st rate; Limbu Walnut, Sugar, Bent,
 Ash, Maple, &c. N. Y. Spruce, Pawpaw

East On a Random line between Sec 9 & 16 T. 11. N. R. 1 W.
 40.00 Set a temporary support.
 67.40 To a Brook 15 cuts wide, corner N. W.
 78.54 Enter at the N. W. line 26 cuts North of the post cut of sec
 9. 10. 15 & 16. Sand wood & 1st rate; Limbu Sugar, Wal-
 nut, Buckeye, &c. N. Y. Spruce, Hackberry, Maple, Pawpaw
 West On the same line between Sec 9 & 16 T. 11. N. R. 1 W.
 20.76 To a Brook 18 in diam. in the line.
 39.27 Set the temporary support at the ar. dist. on the line from
 which, Hornbeam 5 in diam here. 144 E. 6 the cut; 10
 10. 3 " " " 128 E. 19 " "
 49.84 To a Buckeye 12 in diam. in the line.
 78.54 To the cut of sec 8. 9. 16 & 17.

North Return Sec 8 & 9 T. 11. N. R. 1 W.
 30.15 To a Brook 12 in diam. in the line.
 40.00 Set a support from which,
 Bent 20 in diam here. 176 N. 18 the cut; 10
 10. 14 " " " 133 E. 9 " "
 55.11 To a Butternut 16 in diam. in the line.
 79.00 To a Brook 12 cuts wide, corner S. W.
 80.00 Set a post for the cut of sec 4. 5. 8 & 9 from which,
 Box Elder, 12 in diam here. 134 E. 15 the cut; 10
 Elm. 5 " " " 166 N. 28 " "
 Sand wood and 2nd rate; Limbu Bent, Ash,
 Elm, Sugar, &c. N. Y. Spruce, Ash, &c.

East Return Sec 4 & 9 T. 11. N. R. 1 W.

T. N. M. N. N. 177 2nd Mm. Ind.

of Jul 25 Bl. T. N. M. N. 277 and set apart for
 " 30 W. from which

Logwood 6 in deer house. Set 17.6 lbs. ash; 17

Do 4 " " " 121 & 20 " "

Land Brook. 13 rats; T. N. M. N. 277. 13 rats; T. N. M. N. 277.
 Birch, &c. 17 Logwood, Ash, Summ. Birch, &c.

North Return Jul 29 130 T. N. M. N. 177.

20 10 To a T. N. M. N. 40 in deer in the line.

40.00 Set a 102 up post from which

Sugar 16 in deer house. Set 9.7 lbs. ash; 17

Bark 20 " " " 17.2 & 19 " "

59.62 To a spring Branch, Corner N. W.

60.74 To a N. Oak 20 in deer in the line.

74.00 " " Brook W. 100 in deer, Corner N. W.

80.00 Set a post further on of Jul 19. 20 29 130 from which

B. Oak, Deer deer house. Set 10 lbs. ash; 17

Walnut 12 " " " 13.3 N. 27 " "

Land point line & part broken, 2nd 8 3rd rate; T. N. M. N.

N. 13 Oak, Birch, T. N. M. N. 277. Ash, Hick, Walnut, Buckeye

17.5 Spruce, & Logwood, Ash, Birch, &c.

East On a line between Jul 20 & 29 T. N. M. N. 177.

40.00 Set a temporary post.

79.78 Set a post on the N. 13 line 74 in deer in the line on of Jul 20.

21.28 & 29 Land wood and 1st rate; T. N. M. N. 277. Walnut, Birch,
 Ash, Sugar, &c. 17.5 Spruce, Pawpaw.

West On the line between Jul 20 & 29 T. N. M. N. 177.

39.99 Set the temporary post at the deer in the line on the line

from which, Ash, 4 in deer house. Set 20 lbs. ash;

and a Birch 17 " " " 17.2 & 19 " "

57.10 To a Hackberry 20 in deer in the line.

T. N. M. N. N. 177 2nd Mm. Ind.

79.98 To the corner of Jul 19. 20 29 130.

West Return Jul 19 130 T. N. M. N. 177.

6.50 To a Brook 21 in deer in the line, Corner N. W.

21.00 To a Buckeye 18 in deer in the line.

40.00 Set a 102 up post from which

Red Oak 6 in deer house. Set 10 lbs. ash; 17

Buckeye 14 " " " 12.9 & 17.54 " "

44.00 Set a post on the Left Bank of N. W. for the corner of

grad. Jul 19 130 from which

Sugar 24 in deer house. Set 8 lbs. ash; 17

Ash 12 " " " 13.4 & 14 " "

48.35 Set a post on the Right Bank of N. W. for the corner of

grad. Jul 19 130 from which

Maple 10 in deer house. Set 18 lbs. ash; 17

Do 4 " " " 11.8 & 18 " "

60.20 To an Elm, 22 in deer in the line.

66.68 Intersect the West Branch 143 in deer in the line of the post.

on of Jul 24 & 23 T. N. M. N. 277 and set apart for

" " " 19 130 from which

Elm 12 in deer house. Set 22 lbs. ash; 17

Hackberry 8 " " " 13.2 & 21 " "

Land wood and part 1st & part 2nd rate; T. N. M. N.

Walnut, Hackberry, Locust, Buckeye, Sycamore, Elm,

Ash, Sugar, &c. 17.5 Spruce, Cedar, & Nov. 11 1817.

North Return Jul 19 130 T. N. M. N. 177.

19.27 Set a post on the Left Bank of N. W. for the corner of

grad. Jul 19 130 from which

Hackberry 22 in deer house. Set 25 lbs. ash; 17

Elm 18 " " " 13.2 & 27 " "

23.70 Set a post on the N. W. or Right Bank of N. W. for the

corner of grad. Jul 19 & 20 from which

T. N. N. R. N. 177 2nd Mer. Ind.

Willow 14 in dia. beam. N 71 E 5 lbs dist. to
Maple, 14 " " " S 48 W 28 " "
40.00 Set a post from which a
Cottonwood 14 in dia. beam. N 27 E 14 lbs dist. to
Locust 3 " " " N 15 W 18 " "
41.00 To a Pond 10 lbs m. beam. N 77 E 16
42.08 To a Buckeye 16 in dia. in the line.
47.50 To a stream a Bayou 30 lbs m. beam. S 1 W
80.00 Set a post for the cor. of sec. 17, 18, 19 & 20 from which
Hackberry 8 in dia. beam. N 13 E 14 lbs dist. to
Oak 24 " " " S 64 W 22 " "
Sound level post 1st & 2nd rate; Timber Nat-
ant, Hackberry, Buckeye, Beech, Sycamore, Oak,
Linnwood, &c. W. 9 Spec. &c.

East Quakamam line between Sec. 17 & 20 T. N. N. R. 177.
40.00 Set a temporary post.
47.50 To a stream or Bayou 30 lbs m. beam. S 1 W
56.50 Left 2nd stream.
77.50 To a Birch 20 lbs m. beam. S 1 W
80.12 Enter at the N 13 line 67 lbs m. beam. of the post.
cor. of sec. 16, 17, 20 & 21. Sound level and 1st rate
Timber Natant, Hackberry, Buckeye, Oak Br. Oak,
Sycamore, &c. W. 9 Spec.

West On the Iowa line between Sec. 17 & 20 T. N. N. R. 177.
15.66 To a Elm Ash, 14 in dia. in the line.
40.06 Set the temporary post at the cor. m. beam. in the line
from which a
Butter nut 24 in dia. beam. S 44 E 25 lbs dist. to
Oak 27 " " " N 43 E 22 " "
57.87 To a Hickory 24 in dia. in the line.
80.12 To the post cor. of sec. 17, 18, 19 & 20.

T. N. N. R. N. 177 2nd Mer. Ind.

West Return Sec. 18 & 19 T. N. N. R. 177.
23.18 To an Ash 18 in dia. in the line.
40.00 Set a post from which a
Walnut 10 in dia. beam. N 56 W 14 lbs dist. to
Hornbeam 6 " " " S 6 E 6 " "
53.00 To an Ash 11 in dia. in the line.
68.00 Enter at the West Boundary 273 links South of the
post cor. of sec. 13 & 24. T. N. N. R. 277. and set a post
from which a
Ash 13 in dia. beam. S 6 E 16 lbs dist. to
Maple 6 " " " N 55 E 46 " "
Sound level and 1st rate, 2nd rate, Timber Natant,
Buckeye, Hackberry, Beech, Hickory, W. 9 Spec. &c.

North Return Sec. 17 & 18 T. N. N. R. 177.
23.18 To an Ash 15 in dia. in the line.
40.00 Set a post from which a
Oak 14 in dia. beam. N 34 W 10 lbs dist. to
B. Ash 20 " " " S 4 E 8 " "
58.70 To a Beech 18 in dia. in the line.
70.00 Enter a Winifall
80.00 Set a post for the cor. of sec. 7, 8, 17 & 18 from which a
Elm Bark 1 in dia. beam. N 80 W 4 lbs dist. to
Oak 17 " " " S 39 E 6 " "
Sound level and 2nd rate; Timber Elm, B. Ash,
Maple, Beech, Sycamore, &c. W. 9 Spec. &c.

East Quakamam line between Sec. 8 & 17 T. N. N. R. 177.
30.00 Left Winifall
40.00 Set a temporary post.
80.06 Enter at the N 13 line 43 lbs m. beam. North of the post cor.
of sec. 8, 9, 16 & 17. Sound level & 1st rate; Timber
Walnut, Hickory, Beech, Locust, &c. W. 9 Spec. &c.

T. A. M. A. R. A. 1772nd Mr. Ind.

- West On the line between Sec. 8 & 7 I. H. N. R. 1 W.
 24.12 To a Buck. 20 in dia: in the line.
 40.03 Set the trip. post at the ar. dish on the true line
 from which, Hornbeam, 5 in dia: bears S 59 W. 10 lbs dist,
 and a Buck 20 " " " N 57 E. 14 " "
 47.21 To a Butte int. 14 in dia: in the line.
 50.06 To the cor. of sec. 7 & 8 I. H. N. R. Nov. 12 1819.
-
- West Return Sec. 7 & 8 I. H. N. R. 1 W.
 26.12 To a Buck. 14 in dia: in the line.
 33.57 Left Winifall
 40.00 Set a post for the post from which,
 Buck. 14 in dia: bears N 11 E. 18 lbs dist: & a
 Hick. 24 " " " N 72 E. 10 " "
 58.00 To a Buck. 18 in dia: in the line.
 68.10 Intersect the West R. of 315 lbs. North of the post cor.
 of sec. 12 & 13 I. H. N. R. 2 W and set a post for the cor.
 " " " 718 from which,
 Buck. 24 in dia: bears N 31 E. 15 lbs dist: & a
 Loc. 14 " " " S 62 E. 25 " "
 Land line ends 2nd rate, Timber Buck, Sugar, W Oak,
 Ash, &c. W. Spruce, Spruce, Ash, Cherry, &c.
-
- North Return Sec. 7 & 8 I. H. N. R. 1 W.
 18.50 Left Winifall
 28.85 To a W Oak 30 in dia: in the line.
 40.00 Set a post from which,
 Buck. 18 in dia: bears N 34 E. 6 lbs dist: & a
 " Loc. 16 " " " N 57 W. 50 " "
 63.84 To a Maple, 20 in dia: in the line.
 80.00 Set a post for the cor. of sec. 5, 6 & 7 from which,
 Elm. 4 in dia: bears S 44 W. 2 lbs dist: & a
 Hornbeam. 5 " " " N 42 E. 17 " "

T. A. M. A. R. A. 1772nd Mr. Ind.

Land line R. 1st & 2nd rate, Timber Buck, Sugar,
 W Oak, Walnut, Elm, Locust, Gum, &c. W. Spruce, &c.

- East On a Kanam line between Sec. 5 & 8 I. H. N. R. 1 W.
 40.00 Set a trip. post.
 73.50 To a Buck 15 in dia: with, Corner S. E.
 77.00 " " Loc. 15 " " " N. E.
 79.50 " " Loc. 15 " " " E. S. E.
 80.16 Intersect the N & S line 38 miles North of the post cor. of
 Sec. 4, 5, 8 & 9. Land post level & part. Buck, Spruce,
 & B. rate; Timber W Oak, Hick, Ash, Elm, Buck, W.
 Oak, W. Gum, &c. W. Spruce, Hick, Maple, Oak,
 Dogwood, Birch &c.
-
- West Return Sec. 5 & 8 I. H. N. R. 1 W On the true line.
 19.81 To a Hick 16 in dia: in the line.
 40.08 Set the trip. post at the ar. dish in the true line
 from which, W Oak, 14 in dia: bears N 36 W. 11 lbs dist,
 and a W Oak, 14 " " " S 2 E. 20 " "
 62.06 To a Buck, 16 in dia: in the line.
 80.16 To the post cor. of sec. 5, 6 & 7.
-
- West Return Sec. 6 & 7 I. H. N. R. 1 W.
 26.60 To a W Oak 48 in dia: in the line.
 40.00 Set a post from which,
 Hick 20 in dia: bears S 51 W. 5 lbs dist: & a
 W Oak Buck 3 " " " N 43 E. 11 " "
 57.70 To a Hick, 24 in dia: in the line.
 68.20 Intersect the West R. of 425 lbs. North of the
 post cor. of sec. 1 & 12 I. H. N. R. 2 W and set a post for
 the cor. " " " 677 from which,
 Buck 16 in dia: bears S 68 E. 35 lbs dist: & a
 Hornbeam. 4 " " " N 65 E. 20 " "

J. A. M. A. R. A. 17th 2nd Mm. Ind.

Land level under D^u rate; Vmbe Hick^y, Peach, Gum
W Oak, Elm, Ash, & W. Spruce, &c.

North Return Sec 576 J. A. M. A. R.

2360 To a shell Bank Acker 24 in diam in the river.

4000 Set a post from which
Sugar 18 in diam near A42 N. 4 E. dist. 1/2
Acker 3 1/2 " " 1/2 " " 1/2 " "

6154 To a Poplar, 18 in diam in the river.

7174 Intersect the E. Bound 116 miles West of the post on of
Sec 31132 J. A. M. A. R. and set a post in the corner
of 576 from which

Poplar 18 in diam near A43 N. 11 E. dist. 1/2

Poplar 18 " " " 1/2 " " 1/2 " "

Land level in part & part broken, D^u & F. rate.

Vmbe Peach, Sugar, W Oak, Hick^y, Poplar, &c.
W Spruce, Elm, Lardofra, Brine Nov. 13 1819.

Meanders of the Right Bank of White River
Commencing on the East Bound of Sec. 1. thence
Down stream in Sec. 1.

S44 N. 4.50

S31 N. 4.00

S26 N. 6.00

S14 N. 8.50 To a Brook 30 E. miles from the N. W.

S4 E. 14.50

S3 N. 10.00

S22 N. 11.25 Intersect the River between Sec 1 & 12; 64.35 E.
of the corner of 1, 2, 11 & 12. Width of River 5.61 in river.

S18 N. 3.00

S3 N. 8.00

S8 E. 3.00

In Sec. 12.

J. A. M. A. R. A. 17th 2nd Mm. Ind.

S25 E. 2.00

S9 E. 5.50

S13 N. 4.00

S27 N. 6.00

S32 N. 6.50

S67 N. 5.00

N43 N. 6.00

N60 N. 2.50

N84 N. 4.00

S59 N. 6.50

S38 N. 4.00

S23 N. 3.00

S1 E. 2.00

S27 E. 4.00

S35 E. 4.50

S27 N. 6.00

S88 N. 5.00

S68 N. 2.50

S49 N. 3.00

S23 N. 4.50

S4 E. 3.60

To the line between Sec 12 & 13; 22.17 East of the

post on of Sec 11, 12, 13, 14. River & Island. 32.77

miles in the river.

S10 E. 4.00

S29 E. 8.00

South 6.00 Lower end of Island 57 1/2 the miles.

S48 N. 5.00

S71 N. 9.00

S66 N. 6.00

S59 N. 6.00

S51 N. 6.58

To the line between Sec 13 & 14; 31.73 South of

the post on of sec 13 & 14. 11 & 12. width of R. 4.57 the miles.

In Sec. 13.

T. N. M. A. R. N. 1st W. 2nd Mer. Ind.

S60 W 10.00

S56 W 8.00

S39 W 7.00

S62 W 8.00

S34 W 5.00

S42 W 5.50

S35 W 5.50

S24 W 3.50

S5 W 8.50

S27 E 6.50

S13 E 4.25 To the line between Sec 14 & 23; 50.11 East of the post cor of sec 14, 15, 22 & 23. Riv. 50.9 the miles on the line.

In Sec. 14.

S45 E 11.00

S56 E 5.00

S48 E 9.50

S60 E 8.00

S24 E 3.50

S7 W 4.50

S3 W 3.00

S45 W 5.50

N61 W 7.00

N30 W 3.50

N19 W 5.00

N45 W 6.00

N53 W 14.00

N37 W 6.00

N27 W 4.96 To the line between Sec 14 & 23; 32.90 East of the post cor of sec 14, 15, 22 & 23. Riv. 60.5 the miles on the line.

N28 W 5.50

N55 W 4.00

N62 W 3.50

In Sec. 14 & 23.

T. N. M. A. R. N. 1st W. 2nd Mer. Ind.

S78 W 7.50

In Sec. 14

S71 W 6.50

S27 W 6.50

S9 W 1.60 To the line between Sec 14 & 23; 13.32 East of the post cor of sec 14, 15, 22 & 23. Riv. 5.93 miles on the line.

S9 W 6.50

S10 E 7.00

In Sec. 23.

S28 W 3.00

S87 W 7.14 To the line between Sec 23 & 23; 14.53 South of the post cor of sec 14, 15, 22 & 23. Riv. 4.37 the miles on the line.

N68 W 6.50

N56 W 7.00

N74 W 6.50

N84 W 8.00

S80 W 6.00

S73 W 5.00

S53 W 4.00

In Sec. 22.

S48 W 5.50

S54 W 6.00

S88 W 5.50

A Shrub

N84 W 19.50

N37 W 4.50

N31 W 5.20 To the line between Sec 21 & 22; 12.45 S. of the cor of Sec 15, 16, 21 & 22. Riv. 10.20 the miles on the line.

N11 W 11.00

N45 W 2.02

In Sec. 21.

N60 W 2.01 To the line between Sec 16 & 21. Cont a bend by offset

N44 W 3.50

N64 W 6.00

Meanders of the Left Bank of White River
Commencing on the West Branch of sec. 30. for width
of River dist. from Comm. Sec. Note on Standard lines
thence upstream in Sec. 30

A62 E. 3.00
A89 E. 10.00
A65 E. 8.50
A29 E. 4.50
A5 E. 4.00 To the line between Sec. 19 & 30; 44.00 West of
the cor. of sec. 19. 20. 29 & 30

A13 W. 5.00

A11 W. 9.50

A17 E. 5.00

A41 E. 8.00

A26 E. 5.00

A14 E. 4.00

A4 E. 12.00

A18 E. 4.50

A49 E. 3.50

East 3.00

A58 E. 3.00

A19 E. 4.00

A20 W. 4.50

A25 W. 7.00

A3 E. 4.50

A12 E. 7.50

A20 E. 4.50

A11 E. 5.00

A44 E. 5.00

A75 E. 5.00

A80 E. 3.50

A63 E. 3.50 In stream 20 the mds. from A/E.

Comp.

A63 E. 1.00

A45 E. 6.50

A88 E. 6.44 To the line between Sec. 19 & 20 - 19.27 N. of the
Post. cor. of sec. 19. 20. 29 & 30

A73 E. 4.50

A85 E. 6.50

A88 E. 21.00

A79 E. 15.50

A88 E. 4.00

In sec. 20.

A79 E. 6.00

A82 E. 7.50

A75 E. 11.00

A59 E. 5.00

A35 E. 1.60 To the line between Sec. 20 & 21. 30.46. N. of the
Post. cor. of sec. 20. 21. 28 & 29

A42 E. 3.00

A3 E. 5.00

In sec. 21.

A32 W. 4.06 To the line between Sec. 20 & 21. 40.00 N. of
the Post. cor. of sec. 20. 21. 28 & 29

A35 W. 4.00

A47 W. 7.00

A18 W. 5.50

In sec. 20.

A27 E. 6.50

A51 E. 8.00 To the line between Sec. 20 & 21; 67.70 South of
the Post. cor. of sec. 21. 22. 27 & 28.

A57 E. 6.50

A57 E. 5.00

A30 E. 4.50

In sec. 21.

A3 E. 5.00

1 Quik 5.00
 S31 E. 8.00
 S56 E. 5.00
 S46 E. 6.00
 N89 E. 6.00
 N67 E. 6.00
 N46 E. 4.00
 N34 E. 7.00
 N10 E. 7.50
 N7 W. 10.00
 N8 E. 6.50
 N16 E. 5.50
 N37 E. 3.00
 N52 E. 3.50
 S89 E. 5.00
 S82 E. 5.00
 S59 E. 7.00
 S31 E. 3.50
 S12 E. 3.00
 S13 E. 5.50
 S10 E. 3.00
 S34 E. 4.00

S53 E. 4.10 To the line between Sec. 21 & 22 T. 11. N. R. 1 & 2
 57 35 th. N. of the cen. of sec. 21, 22, 27 & 28

S53 E. 2.50
 S66 E. 7.50
 S84 E. 4.50
 S87 E. 5.00
 N87 E. 7.00
 N79 E. 5.00
 N71 E. 7.00
 N57 E. 4.50

In Sec. 22.

To a Brook 15 th. ind. from S.E.

In Sec. 21.

N57 E. 12.50
 N81 E. 6.00
 S70 E. 5.00
 S63 E. 4.00
 S57 E. 6.00
 S43 E. 7.00
 S4 E. 28.9 To the line between Sec. 22 & 23. 57 84. North of the
 East cen. of sec. 22, 23, 26 & 27.

In Sec. 22.

N87 E. 10.50 A mill seat High Bluff.

N32 E. 5.00

N10 E. 3.50

N9 W. 10.00

In Sec. 23.

N18 E. 3.83 To the line between Sec. 14 & 23; 19.25 th. E. of
 the East cen. of sec. 14, 15, 22 & 23. Nov. 17, 18, 19.

N37 E. 3.50

N74 E. 3.50

S77 E. 5.00

In Sec. 14

S44 E. 3.50 To the line between Sec. 14 & 23; 2.8.85. E. of the
 cen. of sec. 14, 15, 22 & 23.

S44 E. 2.00

S23 E. 5.50

S41 E. 4.00

S34 E. 5.00

In Sec. 23.

S37 E. 4.50

S43 E. 6.00

S53 E. 11.50

S34 E. 8.50

S60 E. 5.50

S46 E. 6.50

N76 E. 6.00

T. A. M. R. A. N. 2nd M. Ind.

A35 E. 6.00

A20 E. 4.50

A7 W. 6.00

A19 W. 3.50

A43 W. 5.00

A56 W. 3.50

A58 W. 4.50

A49 W. 5.50

A17 W. 5.00

A64 W. 4.20 To the line between Sec 14 & 13. T. H. M. R. M. 27.00
West of the post on of sec 13, 14, 23 & 24

A24 E. 10.00

A13 E. 5.00

A4 E. 6.50

A41 E. 6.00

A59 E. 14.50

In sec. 14

A7 E. 5.00

A56 E. 8.50

A43 E. 4.50

A30 E. 1.23 To the line between Sec 14 & 13. 43.70 N. of the
post on of sec 13, 14, 23 & 24.

A56 E. 6.00

A62 E. 5.00

A65 E. 5.00

A67 E. 4.00

A54 E. 3.50

A57 E. 14.50

A47 E. 13.00 To a stream both mid, corner S W

A47 E. 5.00

A70 E. 3.50

A60 E. 3.40 To the post on the line between Sec 12 & 13, 24, 12 W

T. A. M. R. A. N. 2nd M. Ind.

of the post on of sec 12 & 13.

A50 E. 3.00

A14 E. 4.00

A22 W. 5.50

A43 W. 15.00

A28 W. 4.00

A13 E. 3.50

A72 E. 3.00

A53 E. 6.50

East 5.50

In sec. 12.

A70 E. 5.00

A40 E. 6.00

A26 E. 7.50

A21 E. 9.00

A12 E. 7.00

A24 W. 3.50 To the mouth of Bayou.

A37 W. 4.00

A19 W. 5.00 Entire a prairie.

A1 E. 10.10 To the line between Sec 1 & 12. 8.38 W. West of the co.
of sec. 1 & 12.

A30 E. 13.50 Left Prairie.

A9 E. 7.00

A7 W. 9.50

A3 W. 8.00

A6 E. 6.00

A29 E. 8.13. Intersect the 2nd Principal Meridian in the East
Borneo of sec. 1. See notes on Standard line.

Surveyed by

Thomas Brown

Deputy Surveyor.

Compd

J. H. N. R. 1 M. 2^d Mer. Ind. Co.,

Survey of Island No 1, in Sect. S. 35th W 10.00
 12 & 13, from post on E. side S. 60th E 8.00
 of Island in line Sect. 12 & 13, N. 40th E 13.00
 N. 38th E 8.00 N. 54th E 3.30 To post.

S. 77th E 9.00N. 24th E 5.00N. 23th W 6.00N. 57th W 7.00S. 54th W 9.00N. 71th W 10.00S. 62th W 8.00S. 15th E 5.00S. 31th E 14.00 at. gov. line of
Sect. 12 & 13.N. 60th E 8.80 To post.

Land good - timber
 Elm, Cottonwood
 Green Willow, &c.

A considerable por-
 tion of this island
 has washed away
 Oct. 11, 1848.

Survey of Island No 2, in
 Sect. 20 from post in line
 of Sect. 20 & 21. Thence

West 5.00. to post on E
 side of Island.

N. 7th W 10.00N. 88th W 7.00

West 4.00

S. 10th W 6.00S. 10th E 11.00

Land first rate
 Timber Oak, Ash, Elm,
 Hackberry, Lym. Spruce
 Amore & Maple.

Oct. 15, 1848.

A great portion of
 this Island has been
 destroyed by a change
 in the channel of the river.
 N. E. Van Ness, D. S.

Stop

Township No 12 North of Range No 1 West of the 2^d Mer. Ind. Co.

South Boundary. N. 5° 35' E 21.

West On the Remann line On the South R. 2^d of sec. 36.

T. 12 N. R. 1 W. Wednesday, May, 25, 1814.

40.00 Set a timber post for support.

37.00 To a creek 70 lbs. wide, corner S.

80.00 Set a timber post for the cor. of sec. 35 & 36.

East 1/4 land. first rate. Bottom. very fine. met by
 hilly Oak, Birch, Sugar, Ash.

West On the Remann line On the South R. 2^d of sec. 35.

T. 12 N. R. 1 W.

5.00 To a spring branch 2 lbs. wide, corner S.

10.00 To a creek 8 lbs. wide, corner S.

40.00 Set a timber post for support.

41.00 To a creek 3 lbs. wide, corner S.

34.00 To a creek 8 " " " " "

80.00 Set a timber post for the cor. of sec. 34 & 35.

Land hilly good 2^d rate, Soil: Timber Birch,
 Sugar, Oak, Hick.

West On the Remann line On the South R. 2^d of sec. 34.

T. 12 N. R. 1 W.

10.00 To a small creek. corner S.

26.00 To a creek 10 lbs. wide, corner S.

40.00 Set a timber post for support.

36.00 To a creek 4 lbs. wide, corner S.

80.00 Set a timber post for the cor. of sec. 33 & 34.

Land same.

West On the Remann line On the South R. 2^d of sec. 33.

T. 12 N. R. 1 W. Thursday, May, 26, 1814.

40.00 Set a timber post for support.

41.00 To a creek 12 lbs. wide, corner S.